Sl. No.	Names of materials, etc.	Unit	Quantity
	(*h*) Lamp M.F.B.C. 230-volts, 200-watts, ½-Whatt type ..	R.ft.	6
	(*i*) Do 100 do ..	,,	12
	(*j*) Do 60 do ..	,,	21
	(*k*) Grounding the I.C. switches complete	Lumpsum	
	(*l*) Masonry patching and color washing	,,	
	PART II—GROUND FLOOR.		
1	Supplying and running submain circuits in ¾" socket conduit using No. 12 B. & S. V.I.R. wire for 600-volts with necessary bends, etc., complete (the old conduit, etc., should be used) ..	R.ft.	150
2	Supplying and wiring using No. 14 B. & S. twin core lead covered wire with E.C. for lighting outlets	No.	15
3	Do for controlling switches with 5-amps. brown bakelite reinforced tumbler switch	,,	15
4	Do for wall-plugs with 5-amps bakelite reinforced switch combined wall-plug	,,	4
5	*Supplying and fixing.*—		
	(*a*) ⅝"×6" rigid iron pendant with heavy pattern brass backplate and B.C. lamp-holder complete	,,	7
	(*b*) 5-amps ceiling rose	,,	8
	(*c*) 8 to 10-ft., flexible cord mason	,,	8
	(*d*) 9" Langham Shade	,,	8
	(*e*) 10"×5·¾" white opal spherical dome bottom open type with O.C. metallic gallery	,,	7
	(*f*) Lamp M.F.B.C. 230-volts, 60-watts, ½-watt type	,,	15
	(*g*) Masonry patching and color washing	Lumpsum	

C. R. GOWDA,
Superintendent.

MYSORE STATE RAILWAY.

OFFICE OF THE DISTRICT ENGINEER, MYSORE.

Notification dated 22nd August 1940.

Sealed tenders will be received at the Office of the District Engineer, Mysore State Railway, Mysore, up to 3 P.M. on Thursday the 12th September 1940 from contractors for the supply of broken stone ballast and also for loading and unloading the same on line by Ballast Train on Mysore-South to Nanjangud Town Section.

2. Tenders should be submitted only in special forms which can be obtained from the Auditor, Mysore State Railway, Mysore, on payment of rupee one, being the cost of the form.

3. The tender must be accompanied by a receipt of payment of earnest money of Rs. 1,000 to the Auditor, Mysore State Railway, Mysore, mentioning the above work, either in cash, Government Bonds, Debenture Bonds of Local Bodies and the Land Mortgage Banks in the State guaranteed by Government, of Fixed Deposit Receipts of Bangalore City Co-operative Bank, Ltd. No cheques will be received.

4. Tenders which give rates "as per estimate" or so much per cent above or below estimate rates will not be considered.

5. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer will not be taken notice of. The rates tendered should include all such lumpsum items.

6. The name of the accepted tenderer will be posted on the Notice Board of the District Engineer's Office, as soon as it is approved. No enquiries regarding the acceptance or rejection of a tender will be replied to.

7. Detailed specifications, conditions of works and conditions of Schedule Agreement may be seen at the District Engineer's Office, Mysore State Railway, Mysore, on all working days between 2-30 and 4-30 P.M. When in doubt, the tenderers should always ask for particulars and details.

8. The contractor whose tender is accepted shall, before the acceptance of the Schedule Agreement deposit with the Auditor, Mysore State Railway, Mysore, cash or Government Promissory

Notes endorsed in favour of the General Manager, Mysore State Railway, Mysore, 5 per cent of the value of the work let out as security for the due fulfilment of the agreement less Rs. 1,000 *Vide* para 3 (cash amount will not carry any interest). No cheques will be accepted.

9. The earnest money (referred to in para 3 above) of the unsuccessful tenderers will be returned as soon as possible after the tenders are disposed of, while that of the successful tenderer will be accepted as part security for the due fulfilment of the terms of the agreement.

10. The final acceptance of the tender will rest with the General Manager, Mysore State Railway, Mysore, who does not bind himself to accept the lowest or any tender and who further reserves to himself the right to reject, without assigning any reason therefor, any or all the tenders or any portion of a tender, and also the right to accept a tender for any individual item or items without accepting the whole tender unless the tenderer expressly states in his tender that it must be accepted or rejected as a whole.

11. Collection work should be started within a week from the date of advice of acceptance of tender and completed within six months, with a guaranteed monthly rate of progress or not less than 90 units a month. A penalty of Rs. 1 per unit per day of default will be levied, for any short progress in collection. The accompanying statement gives the approximate quantity of Ballast to be collected and the quantities are not absolutely guaranteed. The work of loading and unloading on line by Ballast Train should be completed within three months from the date of Ballast Train is arranged.

12. The time limit specified in para 11 should be strictly adhered to and any violation of this will render the contractor liable for forfeiture of his 5 per cent deposit amount not as a penalty, but as ascertained and liquidated damages recoverable accordingly.

13. The tenderer may quote for supply of Ballast at one depot or at all depots. They may call and obtain any required information connected with this notification, from the Office of the District Engineer, Mysore State Railway, Mysore, during office hours. With the tender a certificate must be furnished to say that the tenderer has gone over the country and has seen the localities where Ballast has to be collected.

14. The total quantity of Ballast required to be laid on line is 560,000 cubic feet. The following schedule mentions the localities convenient to the Railway for the collection of Ballast and the contractor while tendering, may mention the maximum quantity of Ballast which he can collect at any of the undermentioned depots. If they know of any other possible depots between Mysore South and Narasambudhi Station, they may quote the mileages of the depots and the quantities they propose to quarry from each depot. The actual collection of heaps has to be done alongside the Railway line within Railway limits as noted in para below.

15. Ballast heaps and stacks will have to be collected upon areas of grounds first levelled and cleaned by the contractor and heaps built parallel to the line. The contractor must be prepared to open out the heaps whenever required for inspection. The mode of collection and formation of the heaps at the depots should be got approved by the Permanent Way Inspector of the Section while collecting. (*Vide* specification below.)

16. In all matters of dispute regarding rates, measurements, quality of wowk, premature closing of contractor's work, in case of poor progress, and in all disputes of any kind, the decision of the General Manager, Mysore State Railway, Mysore, will be final and legally binding.

17. The accepted tenderer must make his own arrangements in advance for payment of royalties, toll, octroi, etc., for stuff quarried, from Railway, Government or Forest land for use on this work, as this Department will not concern itself regarding the payment or recovery of royalty, tolls, octroi, etc.

18. No claims for damages for delays caused by Officers of the Department in the execution of the work will be considered, whatever may be the reason for such delays. Contractors should bear this in mind when tendering for work. Extension of time due to delays caused by the Departmental Officers, will, however, be considered on the merits of each case.

19. The contract should not be sublet.

Schedule.

Serial No.	Place of collection	Approximate quantity	Unit
			C.ft.
1	Between Mysore South and Nanjangud Town Miles 306–0-5 ..	60,000	1,000
2	Do do do Miles 307–0-17 ..	1,50,000	1,000
3	Do do do Miles 308–0 and 309–17.	1,50,000	1,000
4	Do do do Miles 315–0 and 10	2,00,000	1,000
5	Loading and unloading from Ballast Train on line for all leads, up to 15 miles	5,60,000	1,000

Specifications.

(1) The nature of ballast to be supplied, *viz.*, granite or trap or quartz or any heavy metal ore suitable for ballast should be carefully mentioned in the tender.

(2) Only the sample quality of ballast approved must be collected.

(3) Pebbles on no account be mixed by quarrying or by field picking.

(4) The ballast must be screened so as to be completely free from dust and chips.

(5) The ballast must pass through a ring of 2". diameter in all directions and must not pass through a ring of $\frac{3}{4}$" diameter.

(6) The stacks must be 50′×10′×2′ or multiples thereon (only for length and breadth) and one inch per foot should be added free in height for shrinkage.

(7) The collection should be made on top of cuttings more than three feet in height or by the side of banks which are higher than two feet. The collection at each place should not be less than a train load, *i.e.*, 5,000 C.ft.

D. V. NARASIMHA RAO,
District Engineer.

PRIVATE ADVERTISEMENTS.

IN THE COURT OF THE DISTRICT JUDGE, BANGALORE DIVISION, BANGALORE.

293 *Miscellaneous Application No.* 88 *of* 1939-40.

In the matter of the estate of N. S. Krishna Rao, a person of unsound mind residing with the Petitioner:—

Seethalakshamma, wife of N. S. Krishna Rao, residing at No. 10, East Anjaneya Temple Road, Basavangudi, Bangalore City. ... *Petitioner.*

vs.

(1) N. S. Venkata Rao, son of N. Subba Rao, No. 50 and 51, Shankarapuram, Bangalore City; (2) N. S. Rama Rao, Police Inspector, Seringapatam .. *Respondents.*

Application for the appointment of guardian to the person and property of the abovesaid N. S. Krishna Rao, a person of unsound mind, inhabitant of Bangalore City.

The petitioner abovenamed having applied to be appointed the guardian of the person and property of the aforesaid N. S. Krishna Rao (a person of unsound mind), the 2nd day of September 1940 has been fixed for the hearing of the application, and notice is hereby given to the public that if any other relative, friend, kindred or well-wisher of the aforesaid N. S. Krishna Rao (a person of unsound mind), desires to be appointed as guardian of the person and property of the said N. S. Krishna Rao (a person of unsound mind), he should enter appearance in person in the Court on the aforesaid date and be prepared to adduce on that day any documentary and oral evidence he may desire to adduce in support of his claim to such appointment.

Given under my hand and the seal of the Court this 22nd day of August 1940.

S. RAMACHANDRA SASTRI,
Additional District Judge.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 4798-4806, *dated* 23*rd August* 1940.

To

The Firms dealing in Laboratory Apparatus and Chemicals.

*Enquiry No.*4208.

LABORATORY APPARATUS AND CHEMICALS REQUIRED FOR THE GEOLOGICAL DEPARTMENT.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the schedule printed overleaf.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the vaule of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.